



KOLOR TREME



"BY PAINTERS,
FOR PAINTERS"



HOUSE OF KOLOR



Automotive Hardware
Distributor Supply Company





2:1 Clear Coats

Ultra Gloss Urethane Clearcoat 2:1



Premium Overall Clearcoat is formulated to produce a finish that will compare with any clear coat available on the market today. It provides exceptional flow, leveling characteristics, excellent gloss, and is easy to buff.

Low VOC 2.1

Code	Color	Size	Qty.	Product
KXC5522	Clear	5 Liters	2	Clear Coat
KXH5565V	Clear	2.5 Liters	2	Fast Activator
KXH5575V	Clear	2.5 Liters	2	Medium Activator
KXH5585V	Clear	2.5 Liters	2	Slow Activator

2:1 Clear Coats

Ultra Gloss Urethane Production Clearcoat 2:1



A high quality clear coat formulated with the latest European acrylic resin technology to give exceptional gloss, flow, and durability. This clear coat has been formulated for use in the demanding conditions of today's production shops. Easy to use, great results, all at an economical price.

Low VOC 2.1

Code	Color	Size	Qty.	Product
KXC3302V	Clear	5 Liters	2	Clear Coat
KXH3365V	Clear	2.5 Liters	2	Fast Activator
KXH3375V	Clear	2.5 Liters	2	Medium Activator
KXH3385V	Clear	2.5 Liters	2	Slow Activator

Ultra Gloss Urethane Clear Coat 2:1



A high quality Clearcoat designed to be an easy to use solution in all shop conditions. The special blend of resins and solvents used give this clear amazing flow, gloss, and an ease sanding.

Code	Color	Size	Qty.	Product
KXC700	Clear	5 Liters	2	Clear Coat
KX760	Clear	2.5 Liters	2	Fast Activator
KX775	Clear	2.5 Liters	2	Medium Activator
KX785	Clear	2.5 Liters	2	Slow Activator

European Production Clearcoat 2:1



A high quality clear coat formulated with the latest European acrylic resin technology to give exceptional gloss, flow, and durability. This clear coat has been formulated to use in the demanding conditions of today's production shops. Easy to use, great results, all at an economical price.

Code	Color	Size	Qty.	Product
KXC6625	Clear	5 Liters	2	Clear Coat
KXH6665	Clear	2.5 Liters	2	Fast Activator
KXH6675	Clear	2.5 Liters	2	Medium Activator
KXH6685	Clear	2.5 Liters	2	Slow Activator

High Gloss Clear Coat 4:1



Fox-Kote high solids, urethane clearcoat designed for overall and spot refinishing. FoxKote clearcoat works well in air dry or force dry environments and provide excellent gloss, DOI, leveling, blending, and buffing characteristics.

Code	Size	Description	Qty
2019	Gallon	High Gloss Clear Coat 4:1	4
201965	Quart	Fast Activator	6
201975	Quart	Medium Activator	6
201985	Quart	Slow Activator	6


High Performance Clear Coat 4:1



CC9100 High Performance high-solids urethane clearcoat are designed to deliver exceptional appearance, while providing outstanding gloss and Distinction Of Image (DOI).

Code	Size	Description	Qty
CC9100	5 Liters	High Performance Clear Coat 4:1	4
CH9160	2.5 Liters	Fast Activator	6
CH9175	2.5 Liters	Medium Activator	6
CH9185	2.5 Liters	Slow Activator	6

GTi



2:1 Clear Coats

CC1501 / CH1560 (2 Liters Kit) 1:1



FAST15 is a Ultra-Fast Clear Coat designed for spot repairs such 1 or 2 small panel job. Handle time is 40 minutes at 75 Fahrenheit degrees temperature increasing productivity and minimizing the paint process. Great resistant to external agents.

Code	Description	Size	Qty
CC1501	Fast15 Clear Activator	Liter	6
CH1560	Fast15 Clear Coat	Liter	6

4:1 Clear Coats

Premium High Gloss Clear Coat 4:1



A high quality Clearcoat designed to be an easy to use solution in all shop conditions. The special blend of resins and solvents used in KXC920 give this clear amazing flow, gloss, DOI, and an ease of application second to none in the industry today.

Code	Size	Description	Qty
KXC920	Gallon	Premium High Gloss Clear Coat	4
KXH2260	Quart	Fast Activator	6
KXH2275	Quart	Medium Activator	6
KXH2285	Quart	Slow Activator	6

CC1501 / CH1560 (5 Liters Kit) 1:1



FAST15 is a Ultra-Fast Clear Coat designed for spot repairs such 1 or 2 small panel job. Handle time is 40 minutes at 75 Fahrenheit degrees temperature increasing productivity and minimizing the paint process. Great resistant to external agents.

Code	Description	Size	Qty
CC1501 - 2.5	Fast15 Clear Activator	2.5 Liters	2
CH1560 - 2.5	Fast15 Clear Coat	2.5 Liters	2

Dicrom Clear Coat 4:1



Dicrom urethane clearcoat designed for overall and spot refinishing. works well in air dry or force dry environments and provide excellent gloss, DOI, leveling, blending, and buffing characteristics.

Code	Size	Description	Qty
487	Gallon	Clear Coat 4:1	3
C400M	Quart	Activator	6

Urethane Primer 4:1



2K Urethane Primer/Surfacer High solids. Can be used as a very high build or medium build primer and as a non-sanding primer sealer. Provides exceptional fill and build characteristics providing a base that yields excellent topcoat holdout, gloss and D.O.I. Can be directly top coated with alkyd and acrylic enamels, lacquers, acrylic urethane enamels and waterborne basecoat clearcoat systems

Code	Size	Description	Qty
121	Gallon	Urethane Primer 4:1 Gray	4
C511-M	Quart	Activator	6

Dicrom Clear Coat 2:1




A high quality Clearcoat designed to be an easy to use solution in all shop conditions. The special blend of resins and solvents used give this clear amazing flow, gloss, and an ease sanding.

Code	Size	Description	Qty
271	5 Liters	Clear Coat 2:1	3
C471	2,5 Liters	Activator	3



Lacquer Primer

1K Acrylic Lacquer Primer



Acrylic Primer Surfacer
This acrylic lacquer primer has a high solids formulation for quick filling, easy sanding and excellent adhesion. It is designed to fill up to 80 grit sand scratches. Mixed 1:1 with acrylic lacquer thinner, this primer retains its characteristics and resists settling. Primer should be sealed if top coated with a urethane paint system.

Code	Description	Size	Color
KXP33	Acrylic Lacquer Primer	Gallon	
KXP334	Acrylic Lacquer Primer	Quart	
KXP66	Acrylic Lacquer Primer	Gallon	
KXP664	Acrylic Lacquer Primer	Quart	
KXP101	Acrylic Lacquer Primer	Gallon	
KXP104	Acrylic Lacquer Primer	Quart	
KXP991	Acrylic Lacquer Primer	Gallon	
KXP994	Acrylic Lacquer Primer	Quart	

2K Urethane Primer DTM



2K DTM Urethane Primer/Surfacer High solids. Can be used as a very high build or medium build primer and as a non-sanding primer sealer. Provides exceptional fill and build characteristics providing a base that yields excellent topcoat holdout, gloss and D.O.I. Can be directly top coated with alkyd and acrylic enamels, lacquers, acrylic urethane enamels and waterborne basecoat clearcoat systems

Code	Description	Size	Color
KXP8331	DTM 2K Urethane Primer	Gallon	
KXP8334	DTM 2K Urethane Primer	Quart	
KXP8301	DTM 2K Urethane Primer	Gallon	
KXP8304	DTM 2K Urethane Primer	Quart	
KXP8221	DTM 2K Urethane Primer	Gallon	
KXP8224	DTM 2K Urethane Primer	Quart	
KXP8991	DTM 2K Urethane Primer	Gallon	
KXP8994	DTM 2K Urethane Primer	Quart	
KXPA414	Activator	Quart	
KXPA412	Activator	Half Pint	

2K Primer

2K Urethane Primer



2K Urethane Primer/Surfacer High solids. Can be used as a very high build or medium build primer and as a non-sanding primer sealer. Provides exceptional fill and build characteristics providing a base that yields excellent topcoat holdout, gloss and D.O.I. Can be directly top coated with alkyd and acrylic enamels, lacquers, acrylic urethane enamels and waterborne basecoat clearcoat systems

Code	Description	Size	Qty
P600	Urethane 2K Primer Gray	Gallon	4
PH601	Activator	Quart	6

2K Urethane Primer DTM Low VOC



2K DTM Low V.o.c. Urethane Primer/Surfacer High solids. Can be used as a very high build or medium build primer and as a non-sanding primer sealer. Provides exceptional fill and build characteristics providing a base that yields excellent topcoat holdout, gloss and D.O.I. Can be directly top coated with alkyd and acrylic enamels, lacquers, acrylic urethane enamels and waterborne basecoat clearcoat systems

Code	Description	Size	Qty
KXP-5501V	Urethane 2K Primer Gray Low VOC	Gallon	4
KXA-5532V	Activator	Quart	6

2K Epoxy Primers / Sealer 1:1 Mix



Epoxy Primer/Sealer is a high quality, two component isocyanate free primer with excellent adhesion to properly prepared bare metal, fiberglass, and aluminum surfaces. Epoxy Primer/Sealer is lead and chromate free and exhibits excellent drying and color holdout characteristics with no shrinkage.

Code	Size	Description	Color
88841	GALLON	2K Epoxy Primer / Sealer Gray	
88844	QUART	2K Epoxy Primer / Sealer Gray	
88851	GALLON	2K Epoxy Primer / Sealer White	
88854	QUART	2K Epoxy Primer / Sealer White	
88861	GALLON	2K Epoxy Primer / Sealer Black	
88864	QUART	2K Epoxy Primer / Sealer Black	
88001	GALLON	Activator	
88014	QUART	Activator	

Colad SNAPLID
SYSTEM

SNAP

USE THE MIXING CUP AS A SPRAY CUP.
SNAP ON THE COLAD SNAP LID®
WITH INTEGRATED PAINT STRAINER.

THE SYSTEM PREVENTS A VACUUM AND
GUARANTEES A STABLE FLOW OF PAINT

- **SECURE AND TIGHT THREAD**

AVAILABLE WITH 4
VERSIONS OF FILTERS



Colad
inventing more

4

Attach spray gun
on Snap Lid®.



1K Slick Sealers

1K Slick Sealer



A ready-to-spray, one component, nonsanding primer sealer

Code	Description	Size	Color
8111	1K Slick Sealer White	GALLON	
8114	1K Slick Sealer White	QUART	
8121	1K Slick Sealer Gray	GALLON	
8124	1K Slick Sealer Gray	QUART	
8161	1K Slick Sealer Black	GALLON	
8164	1K Slick Sealer Black	QUART	
8171	1K Slick Sealer Red	GALLON	
8174	1K Slick Sealer Red	QUART	

2K Sealers

2K Acrylic Urethane Sealer



2K Acrylic Urethane Sealer is a high quality sealer that provides excellent flow and leveling prior to any topcoat application. This sealer can be used over factory e-coat metal parts as well as properly prepared bare metal and can be used wet on wet for faster delivery times.

Code	Size	Description	Color
10141	GALLON	2K Urethane Sealer Gray	
10144	QUART	2K Urethane Sealer Gray	
10151	GALLON	2K Urethane Sealer White	
10154	QUART	2K Urethane Sealer White	
10161	GALLON	2K Urethane Sealer Black	
10164	QUART	2K Urethane Sealer Black	
10171	GALLON	2K Urethane Sealer Tinteable	
10174	QUART	2K Urethane Sealer Tinteable	
102214	QUART	Activator	
102216	1/2 PINT	Activator	

Epoxy Primer 4:1



Epoxy primer 2K for car repairs. Very strong adhesion to various surfaces. Easy to mix and apply. Short hardening time

Code	Size	Description	Qty
066423	Gallon	Epoxy Primer Anticorrosive	4
066421	Liter	Epoxy Primer Anticorrosive	6
06613	Liter	Activator	4
06613-02	0.2 Liter	Activator	6



ANEST IWATA



Body Fillers

Putties

Filler Light



Filler light is an easy application and sanding. Finish without pores. Tack-free formula. No bleeding on white colors

Code	Size	Description	Qty
2266	Gallon	Filler Light	4

Ultra Fine Finishing Glaze



Flowable self-levelling polyester putty for car body repairs. Can be used as both filling and finishing putty with excellent adhesion to difficult surfaces. Ideal for the application on large surfaces and for extra quick car body repairs.

Code	Size	Description	Qty
06622	Bag	Ultra Fine Finishing Glaze	6

Lightweight Body filler



Lightweight polyester body filler utilizes the latest European Technology. Spreads and sands easy with high-filling power allowing the repair of large surfaces. Recommended when filling deeper dents. Great adhesion to all metals. Apply on properly prepared steel, aluminum, galvanized, and polyester surfaces. Pinhole-free formula minimizes the need for finish or glazing putty saving time and labor.

Code	Size	Description	Qty
66847	Gallon	150 Lightweight Body Filler	4

Finishing Putty



High quality ultra lightweight polyester putty for car repairs. High technology formulation offers very low density, almost two times lower than a standard putty. Features superb adhesion to difficult substrates, including galvanized steel, far surpassing other products of a similar type.

Code	Size	Description	Qty
5920	Liter	Finishing Putty	8

Ultrafill Body Filler



Universal light body filler with high filling capacity. Due to its sanding ease it can be started with P120

Code	Size	Description	Qty
66848	Gallon	160 Ultrafill Body Filler	4

Ultrafill Body Filler



Universal light body filler. Easy application and sanding. Finish without pinholes. Tack-free formula. Creamy texture.

Code	Size	Description	Qty
66850	Gallon	170 Ultralight Body Filler	4

NITRO-STAN



9000




9001



9002



Fiberglass Liquid Resin



Fiberglass Resin is 100% waterproof and designed specifically to be used with Fiberglass Resin for interior and exterior repairs. If additional structural strength is needed for more severe repairs like larger holes, cracks or damaged surfaces, the use of additional layers of Fiberglass Cloth or Mat.

Code	Size	Description	Qty
066335	Gallon	Fiberglass Liquid Resin	4
066331	Liter	Fiberglass Liquid Resin	12

Fiberglass Repair Kit



Ideal for professional automotive, marine, industrial and household repairs. Repairs fiberglass, metal or wood surfaces. Each kit contains resin, liquid hardener, spreader, mat or cloth and illustrated instructions.

Code	Size	Description	Qty
02327	1 Kg	Fiberglass Repair Kit	6
02325	250 gr	Fiberglass Repair Kit	12

Fiberglass Filler



2K glass fibre reinforced polyester putty for car repairs. It is recommended for filling large dents and holes in vehicles, caravans and trailers. Good adhesion to metal. Excellent mechanical strength with proper elasticity. Short hardening time. Good sanding properties.



Code	Size	Description	Qty
06611	Liter	Fiberglass Filler	10
06613	Gallon	Fiberglass Polyester Filler	4

Fiberglass Mat



Fiberglass Mat is one of the most popular forms of reinforcement for non-structural applications. It's inexpensive, easy to use, and can quickly build thickness into parts, molds, or even a repair. It features randomly oriented strands throughout that effectively hide print-through of heavier fabrics and create an equal stiffness in all directions for molds and parts.

Code	Size	Description	Qty
61409	1m ²	Fiberglass Mat	1
61410	4m ²	Fiberglass Mat	1

Polyester Aluminum Putty



2K filling polyester putty with aluminum particles for car repairs. It is especially dedicated to repair metal panels subject to vibrations and frequent changes in temperatures. Good adhesion to metal. High conductivity. Soft sanding properties.

Code	Size	Description	Qty
06615	Liter	Polyester Aluminium Filler	10

Polyester Plastic Putty



2K flexible polyester putty for car repairs with very easy sanding. Especially dedicated to repair plastic panels subject to vibrations. Very good adhesion to plastic. Exceptional flexibility. Good sanding properties. Very smooth surface after application and sanding.

Code	Size	Description	Qty
06614	Liter	Polyester Plastic Filler	10

SATA



Urethane Reducers

Thinners

Lacquer Thinner



Lacquer Thinner is a professional strength, general purpose, medium-dry lacquer thinner for use in thinning clear and pigmented nitrocellulose lacquers and epoxies

Code	Size	Description	Qty
KX 801	GALLON	Lacquer Thinner	6
KX 805	Pail	Lacquer Thinner	1
KX 855	Drum	Lacquer Thinner	1

Urethane Reducer



A premium reducer manufactured using virgin-grade solvents formulated for premium performance. Special for Basecoats, Primers and Clear Coats.

Code	Size	Description	Qty
KX311	Gallon	Urethane Reducer Fast	6
KX315	Pail	Urethane Reducer Fast	1
KX321	Gallon	Urethane Reducer Medium	6
KX325	Pail	Urethane Reducer Medium	1
KX331	Gallon	Urethane Reducer Slow	6
KX335	Pail	Urethane Reducer Slow	1
KX341	Gallon	Urethane Reducer Extra Slow	6
KX345	Pail	Urethane Reducer Extra Slow	1

Wax & Grease Remover

Wax & Grease Remover



Anti-silicone panel wipe. Fast evaporation ideal for localized repairs. Removes contaminants including wax, grease and silicones

Code	Size	Description	Qty
KX901	Gallon	Wax & Grease Remover	6
KX905	Pail	Wax & Grease Remover	1

Premium Urethane Reducer



Premium quality urethane reducers for use with acrylic urethane coatings. Ideal for spot and panel repairs and for different climates. Can be used with primers, clears, basecoats.

Code	Size	Description	Qty
066325	5 Liters	Premium Urethane Reducer	4
066321	1 Liter	Premium Urethane Reducer	6
066315	5 Liters	Premium Urethane Reducer	4
066345	5 Liters	Premium Urethane Reducer	4

Wax & Grease Remover



Anti-silicone panel wipe. Fast evaporation ideal for localized repairs. Removes contaminants including wax, grease and silicones

Code	Size	Description	Qty
066111	Liter	Wax & Grease Remover	6

Base Coat Stabilizer



Urethane Basecoat Stabilizer has been designed to provide optimum flow and leveling. This premium reducer is formulated of virgin material and is considered a replacement solvent.

Code	Description	Size	Qty
KX 7175	Base Coat Stabilizer Medium	Gallon	4
KX 7185	Base Coat Stabilizer Slow	Gallon	4



Klean-Strip® Automotive



Surface Preps for the Automotive Refinish Market

Fisheye Eliminator



Produces perfect finish in extremely difficult application conditions. Improves leveling and eliminates silicone disruptions to paint surface

Code	Size	Description	Qty
KXF351	GALLON	Fish Eye Eliminator	4
KXF352	PINT	Fish Eye Eliminator	12

Plastic Adhesion Promoter



1K clear ready to use universal adhesion promoter acts as a tie coat promoting uniform adhesion to repairs containing different surfaces. Specialty designed for plastic Surfaces

Code	Size	Description	Qty
KXAP214	Gallon	Plastic adhesion Promoter	4
KXAP201	Quart	Plastic adhesion Promoter	12


Accelerator



Super accelerator for 2K paints clears and primers. Speeds up demasking and overpainting when mixed with 2K hardeners.

Code	Size	Description	Qty
KXA691	Pint	Accelerator	12
KXA81	Quart	Accelerator	12


Flattening Agent



Urethane Flattening Agent is a universal flexible flattening (matting) additive for use in all urethane clearcoats. It provides three different gloss levels with easy addition. Urethane Flattening Agent is easy to incorporate in the clearcoat, the activator or the activated clearcoat.

Code	Description	Size	Qty
T1270	Flattening Agent	Gallon	4

Universal Retarder



Universal Retarder for use in lacquer, enamel, and urethane basecoats, topcoats, and clears. Slows evaporation rate. Improves flow and blush resistance under hot humid shop conditions.

Code	Size	Description	Qty
KXR114	Quart	Universal Retarder	12

Aqua Mask



Aqua Mask is a water based masking agent that replaces the need to mask off with paper and tape, therefore saving time and money in the painting process. For removal, simply rinse with water and sponge or pressure wash if desired.


Code	Size	Description	Qty
77-421	Gallon	Spray Mask	4
77-425	Pail	Spray Mask	1

Flex Agent



Universal Urethane Flex Agent is designed to increase flexibility, impact resistance, and UV protection. Universal Urethane Flex Agent mixes easily and does not affect dry or cure times. It also increases the adhesion of coatings on plastic parts.

Code	Size	Description	Qty
KXFLEX	Pint	Flex Agent	12



Basecoats

Single Stage

Basecoat Factory Pack Paint



Kolor Xtreme Basecoat are a productive, efficient, and consistent paint. With repeatable performance, efficient processes, and products that can assist in decreasing cycle time.

Code	Description	Size	Color
KXB040	Basecoat Paint	Gallon	
KXBYZ	Basecoat Paint	Gallon	
KXB8624	Basecoat Paint	Gallon	
KXB999	Basecoat Paint	Gallon	Black
KXB222	Basecoat Paint	Gallon	
KXB9260	Basecoat Paint	Gallon	Red
KXBNH623	Basecoat Paint	Gallon	
KXB800J	Basecoat Paint	Gallon	Yellow
KXB1F7	Basecoat Paint	Gallon	

Hot Rod Black Satin



Kolor Xtreme Acrylic Urethane - Hot Rod Black. This single-stage urethane topcoat is much more durable than the regular flat black found in the market. This topcoat exhibits the properties of durability and fade-resistance necessary for restoration work. It is available in satin finish. It can find matt finish adding some flat agent.

Code	Size	Description	Qty
KXHR99	GALLON KIT	Hot Rod Black Satin	4

Binders & Balancers


Binder & Balancers

Single Stage Factory Pack



Kolor Xtreme Single Stage series is a relatively slow dry product good for large jobs where faster materials are not manageable. Excellent for trailer manufactures, large equipment and similar type jobs. Also can be brushed or rolled

Code	Description	Size	Color	Qty
77-221	2K Single Stage Enamel	Gallon	White	4
77-881	2K Single Stage Enamel	Gallon	Flat Black	4
77-991	2K Single Stage Enamel	Gallon	Gloss Black	4
77-901	2K Single Stage Activator	1/8		6



Kolor Xtreme Balancers, Binders, Converters have been formulated as comparable offerings for the most common major manufacturer's products. Since these are similar products, they are intended for use (1 to 1 by volume) as the color formula indicates. Kolor Xtreme Binders have been developed to provide similar physical properties of their competitors including viscosity, solids, weight per gallon, and basecoat compatibility.



Code	Description	Color	Case
KX150	Base Coat Binder	Clear	4
KX175	Base Coat Binder	Clear	4
KX695	Base Coat Binder	Clear	4

Powder Pearl 150 gr




Code	Description	Color	Size
KX07	Kolor Xtreme Pearl	Green	150 gr
KX08	Kolor Xtreme Pearl	White	150 gr
KX11	Kolor Xtreme Pearl	Russet	150 gr
KX12	Kolor Xtreme Pearl	Fine Russet	150 gr
KX13	Kolor Xtreme Pearl	Frost Blue	150 gr
KX14	Kolor Xtreme Pearl	Orange	150 gr
KX15	Kolor Xtreme Pearl	Violet	150 gr
KX16	Kolor Xtreme Pearl	Gold	150 gr
KX17	Kolor Xtreme Pearl	Cooper	150 gr
KX20	Kolor Xtreme Pearl	Fine White	150 gr
KX29	Kolor Xtreme Pearl	Bright White	150 gr

Powder Pearl Xirallics



Code	Description	Color	Size
KX30	Kolor Xtreme Xirallic Pearl	Crytal Silver	110 gr
KX31	Kolor Xtreme Xirallic Pearl	Fireside Cooper	110 gr
KX32	Kolor Xtreme Xirallic Pearl	Sunbean Gold	110 gr
KX33	Kolor Xtreme Xirallic Pearl	Radiant Red	110 gr
KX34	Kolor Xtreme Xirallic Pearl	Galaxy Blue	110 gr
KX35	Kolor Xtreme Xirallic Pearl	Stellar Green	110 gr
KX38	Kolor Xtreme Xirallic Pearl	Solaris Frost Red	110 gr

DEVILBISS



Basecoats

Single Stage

Black Basecoat Factory Pack



Kolor Xtreme Base Coat Black automotive base coat, One Gallon FP9900 as a Black Basecoat, mix 1:1 with urethane grade reducer.

Code	Size	Description	Qty
FP9900	Gallon	Deep Black Basecoat	4
FP9000 Quart	Quart	Deep Black Basecoat	1

Scuff Paste



Kolor Xtreme Scuff Paste is a high-performance scuffing agent that enhances paint adhesion by ensuring cleanliness and consistent surface profiling.

Code	Description	Size	Qty
02211	Scuff Paste	Quart	12
02215	Scuff Paste 6.6 lbs	Bucket	1

Scuff Pads



Extremely aggressive, although it is thinner, more open and flexible than standard non woven products. The thin open structure of Mirlon Total increases conformity of finishing intricate details. Offers a dense scratch pattern with a fast sanding result. Flexible, open structure and strengthened fibers for long pad life. Great for use on aluminum, mild steel, non-ferrous metal, lacquers, paint sanding, steel, stainless steel, plastics, synthetic materials, copper alloys, brass and bronze applications. 25 pads per box

Code	Description	Size	Qty
88-69-447	Scuff Pad Maroon 25 Pcs	6x9	1
88-69-448	Scuff Pad Gray 25 Pcs	6x9	1

Better Wax



Kolor Xtreme Better wax is a cream wax that produces deep, rich wet look gloss, especially on dark colors. Creme formulation very easy to use.

Code	Description	Size	Qty
176232	Better Wax	Quart	12





Plastic Repair

2-c Polyurethane Plastic Repair



XGRIP 2C-Polyurethane is a unique type of polyurethane. Ideal for the bonding/repair of plastic parts. Available as a 2-component, 1:1 ratio

Code	Description	Size	Qty
68801	Plastic Repair 1 min	220 ml	6
68803	Plastic Repair 3 min	220 ml	6
68810	Plastic Repair 10 min	220 ml	6

Bonding / Sealer

2K Acrylic Urethane Sealer



XGRIP 2C-Epoxy is a unique 2 component Epoxy Adhesive. Especially developed for the bonding of metal and composite substrates.

Code	Description	Size	Qty
68860	Panel Bonding 90 min	220 ml	6
68890	Panel Bonding 60 min	195 ml	6

Plastic Panel Bonding / SMC



XGRIP SMC Repair products provide superior structural strength with a surface that's sandable and paintable. (Roof skin, Door Skin, Quarter panel and body panel)

Code	Description	Size	Qty
68815	Fiberglass /SMC Repair Bonding	220 ml	6

1K Seam Sealer



1K Seam Sealer is a versatile, single component sealer for sealing interior or exterior seams.

Code	Description	Size	Qty
68839	Seam Sealer Gray	290ml	12
68822	Seam Sealer White	290ml	12
68899	Seam Sealer Black	290ml	12

Hing Body Seam Sealer



Two-part Epoxy For Use In Vertical Or Horizontal Seams To Match OEM Sealers. Non-sagging; Non-flowing
Easy To Use

Code	Description	Size	Qty
68812	High Body Seam Sealer	220 ml	6

Cartridge Guns



Code	Description	Qty
AES76001	1K Cartridge Gun	1

Code	Description	Qty
AES76009	Dual Cartridge Gun	1

Self - Leveling Seam Sealer



Self-Leveling Seam Sealer is a two-part epoxy designed for roof ditches (door skin hem flanges) and rear body panels, including tail light areas, wheel well flanges, etc.

Code	Description	Size	Qty
68812SL	Self-Leveling Seam Sealer	220 ml	6

Mixer Tips



Code	Description	Qty
68866	2C-PU Mixer Tips	10 PACK
68877	Epoxy Mixer Tips	10 PACK



Bed Liners

Accesories

Kolor Xtreme Bed Liners 4L Kits



Kolor Xtreme Bed liner provides great protection against the toughest mechanical and chemical damages. It creates an extremely strong and durable 2K urethane coating recommended for pick-up trucks, heavy-duty commercial vehicles, off-road vehicles, caravans, SUVs, etc. The product gives a structure effect and is available in black and in a tintable version. Color can be added to the tintable version by the addition of diluting products.



Code	Size	Description	Color
06688	4 Liters Kit	Kolor Xtreme Bed Liner	Black
06677	4 Liters Kit	Kolor Xtreme Bed Liner	Tintable

Bed Liner Kit



Kolor Xtreme Bed liner is a fast and convenient truck bed liner. Just add catalyst (and color for tintable version), shake or stir, and shoot. One kit will cover a full size long bed truck @ 15 mil (90-100 sq. ft.). Available in one gallon kits.

Code	Size	Description	Color
BL99	Gallon	Kolor Xtreme Bed Liner	Black
BL55	Gallon	Kolor Xtreme Bed Liner	Tintable
BL10	Gallon	Kolor Xtreme Bed Liner	White

Bed Liner Wire Tape 1/4 x 100'



Trim a wide variety of coatings, from medium durometer polyurethane to high durometer polyureas; Medium-tack adhesive, developed for applications where less adhesive strength is preferred; Contains a .010" diameter, high-tensile metal wire filament; Over 50% more cutting strength than our Standard strength product; Used for thicker, harder, and aggregate-filled coatings

Code	Description	Qty
WBWT	Bed Liner Wire Tape	1

Bed Liner Gun



Conventional Bed Liner Spray Gun

Code	Description	Qty
06699	Bed Liner Gun	1

Bed Liner Gun adjustable



Adjustable Bed Liner Gun

Code	Description	Qty
61433	Bed Liner Gun Adjustable	1

6" Nylon Cup Brush



Can be used on metal, wood, aluminum, and plastic surfaces; Lasts up to 6 times longer than wire brushes; Non-oxidizing, will not react with metal. Will not load or clog ideal for spray-on truck bedliner preparation

Code	Description	Qty
AES51886	6" Nylon Cup Brush	1



Rubbing Compound

Rubbing Compound



Offers an excellence balance between a fast cutting action and achieving a zhigh gloss level. According to the surface and the finish required.

Code	Description	Color	Size	Qty.
02293	Rubbing Compound	Beige	Quart	6
02294	Rubbing Compound	Beige	Gallon	2

Polishes

Glint Polishing Compound



Glint polishing compound suitable to use on every kind of varnish used in the industry and automotive sector, including hard scratch resistant lacquers (also ceramic lacquers). Product recommended for fresh and old paint coatings. Easily removes scratches and traces after P1500 sanding paper. Silicone free, no filler.

Code	Description	Color	Size	Qty.
02225	Glint Polishing Compound	White	Quart	6
02226	Glint Polishing Compound	White	Gallon	2

Fine Polishing Compound



Removes fine sanding scratches and swirl marks therefore creating an excellent high-gloss finish. Kolor Xtreme is versatile and can be used by hand or machine application.

Code	Description	Color	Size	Qty.
02296	Fine Polishing Compound	Gray	Quart	6

Glint Fine Cut Polishing



Glint Fine Cut is a universal compound for all types of paints, eliminates polishing marks and guarantees perfect mirror finish. High quality polishing minerals ensure flawless.

Code	Description	Color	Size	Qty.
02227	Glint Fine Cut Polishing	White	Quart	6

Glint Ultra Fine Polishing



Glint Ultra Fine polishing has an abrasive properti that allows you to remove minimum size defects and holograms

Code	Description	Color	Size	Qty.
02228	Glint Ultra Fine Polishing	White	Quart	6

Super Cut Compound



Super Cut compound contains high quality polishing minerals which guarantees quick elimination of defects and high gloss. Because of optimized bonding does not burn in during polishing while being easy to clean. Universal product suitable for gelcoat, PU and PE lacquers in automotive.

Code	Description	Size	Qty
02244	Super Cut Compound	Quart	6
02245	Super Cut Compound	Gallon	2

Glint Shine Finish



Quick wax & shine is a quick and easy-to-use product that can be applied on all smooth and glossy surfaces. provides excellent color depth and gloss creating a protective hydrophobic film that repels water. Its conditioning and preservative properties offer the highest coating protection with perfect appearance.

Code	Description	Color	Size	Qty.
02229	Glint Shine Finish	Clear	Bottle	6

WIZARDS



PRODUCTS



Professional
Detailing & Finishing
Products for
Automotive, Motorcycle
Aviation and Marine
since 1986.

Make it Shine!™

Buffing Pads

Wool Buffing Pad




7.5" 100% Natural Wool 4 Ply Twist Bolt-On Pad

Code	Description	Color	Size
803N	Wool Buffing Pad	White	8"
803Y	Wool Buffing Pad	Yellow	8"

Buffing Pads


Foam Buffing Pad



7.5" US White Ultra Finishing Hex Faced Foam Grip Pad™ with Center Ring Backing

Code	Description	Color	Size
899FBW	Foam Buffing Pad	White	7.5"
820FBW	Foam Buffing Pad	Black	7.5"
852FBW	Foam Buffing Pad	Blue	7.5"

Backing Plates



Universal backing plate fits standard single-sided buffing pads with hook and loop backing. Cushioned backing helps evenly apply pressure and contact while compounding and polishing. Strong hook and loop grip securely holds pad in place during operation.

Code	Description	Size	Qty
358	3" Backing Plate	3"	1
700Y	7" Backing Plate Soft	7"	1
1938	7" Backing Plate	7"	24

3" Foam Buffing Pad



Highest-performing foam compounding pads. Works with Foam Buffing Pad Hookit and Quick Connect attachment systems for easy change-outs. Diameters as small as 3" for accuracy in tight spaces or small areas.

Code	Description	Color	Qty
301G	3" Wool Buffing Pad	White	2
320G	3" Foam Buffing Pad	Black	2
330G	3" Foam Buffing Pad	Yellow	2

3" Tri-Pack Buffing Kit



3" Set of Buffing pad

- Include:
- 1- 301G
- 1- 330G
- 1- 320G
- 1- 358

Code	Description	Size	Qty
TP3	3" Tri-Pack Buffing Kit	SET	1

Microfiber Blue Applicator



Saves Time - Product is applied more evenly, and applicators last longer. Saves Effort - Product is easier to level, and doesn't gum up in the pad.

Code	Description	Color	Size
MFA57	Microfiber Blue Applicator		5X7"
MFAR6	Microfiber Blue Applicator		6"

Buffing Pad Cleaning Spur Tool



Clears dry compound from bonnets and foam heads, cleaning and revitalizing in one operation. Removes glazed surface and fluffs-up packed wool.

Code	Description	Size	Qty
AES711	Buffing Pad Spur Cleaning	1	1

Clay Bar



Professional quality, clay bar medium cut for use in removing contaminants when detailing a vehicle. Clay bars are used to remove impurities from the surface of a vehicle.

Code	Description	Size	Qty
PC1	Clay Bar Medium Cut	1	1

5/8 Buffer Extension



Code	Description	Size	Qty
1400	5/8 Buffer Extension	5/8	1

TRIM-GARD®

Automotive Moldings

Formed End Tips



Body Side Moldings



Truck Moldings



L-Style Edge Moldings



Die-Cut Tips



Door Edge Moldings



Truck Wheel Well Moldings

Wheel Well Moldings

Drip Rail Moldings

Step Treads
Rocker Panel Trims

3M
Acrylic Foam Tape

Fast super attachment of trim and moldings
• OEM preferred performance
• Instant adhesive to basecoat/clearcoat paints
• Field-proven reliability

Established
1968

9001:2008



DA Sand Paper

DA Sand Paper

Durable C weight paper Premium Aluminum Oxide Grains Environmentally friendly water based anti-loading agents. Proprietary resin on resin formula.



Code	Size	Description	Roll
88-6-80	6"	DA Red Sand Paper	100 pcs
88-6-120	6"	DA Red Sand Paper	100 pcs
88-6-150	6"	DA Red Sand Paper	100 pcs
88-6-180	6"	DA Red Sand Paper	100 pcs
88-6-220	6"	DA Red Sand Paper	100 pcs
88-6-320	6"	DA Red Sand Paper	100 pcs
88-6-400	6"	DA Red Sand Paper	100 pcs
88-625-80	6"	DA Red Sand Paper	25 pcs
88-625-180	6"	DA Red Sand Paper	25 pcs

Long File Sand Paper

Long File Sand Paper

Durable C weight paper Premium Aluminum Oxide Grains Environmentally friendly water based anti-loading agents. Proprietary resin on resin formula.



Code	Description	Box
55-64-36	Long Files Red Sand Paper	50
55-64-40	Long Files Red Sand Paper	50
55-64-80	Long Files Red Sand Paper	50
55-64-180	Long Files Red Sand Paper	50
55-2564-36	Long Files Red Sand Paper	25
55-2564-40	Long Files Red Sand Paper	25
55-2564-80	Long Files Red Sand Paper	25
55-2564-180	Long Files Red Sand Paper	25

Surface Conditioning Disc

Cleaning & Stripping Disc



Extra coarse Silicon Carbide grain Strong open web allows cool cutting and inhibits loading

Code	Description	Qty
88-4-580	4" Surface Conditioning Disc	5

Surface Conditioning Disc



High strength nylon scrim backing. Even grain distribution provides consistent finish. For removing E-coat before welding. For removing seam sealer.

Code	Description	Qty
88-3-448	3" Surface Conditioning Disc	25

Continuous Rolls

Continuous Roll

Durable C weight paper Premium Aluminum Oxide Grains Environmentally friendly water based anti-loading agents. Proprietary resin on resin formula.



Code	Description	Box
88-580-80	Continuous Roll Sand Paper	1
88-580-120	Continuous Roll Sand Paper	1
88-580-150	Continuous Roll Sand Paper	1
88-580-180	Continuous Roll Sand Paper	1
88-580-220	Continuous Roll Sand Paper	1
88-580-320	Continuous Roll Sand Paper	1
88-580-400	Continuous Roll Sand Paper	1

Grinding Disc

Grinding Disc

High quality Aluminum Oxide Grain to cut fast



Code	Size	Description	Roll
88-5A-24	5"	Grinding Disc	25 pcs
88-5A-36	5"	Grinding Disc	25 pcs
88-5A-40	5"	Grinding Disc	25 pcs
88-5A-60	5"	Grinding Disc	25 pcs
88-5A-80	5"	Grinding Disc	25 pcs
88-7A-24	7"	Grinding Disc	25 pcs
88-7A-36	7"	Grinding Disc	25 pcs
88-7A-60	7"	Grinding Disc	25 pcs
88-7A-80	7"	Grinding Disc	25 pcs

Roloc Disc

Roloc Disc

Alumina Zirconia grain for fast cutting action. Heavy duty cloth backing. Locks in place with a quarter twist for quick attaching and quick removal



Code	Description	Box
88-2RD-24	Roloc-Disc	25 pcs
88-2RD-36	Roloc-Disc	25 pcs
88-2RD-50	Roloc-Disc	25 pcs
88-3RD-24	Roloc-Disc	25 pcs
88-3RD-36	Roloc-Disc	25 pcs
88-3RD-50	Roloc-Disc	25 pcs



DEERFOS

sharXkin®



Foams

Perfect Foam T Shape



An advanced product for who is looking for a professional result. The "T" shape achieves a perfect placement and avoid hard paints. Adhesive instead of glue with a protective role



Code	Description	Qty Box	Case
08833	Perfect Foam "T" Shape 25m	1	1

Foam Primer



Easy placement foam tape, perfect sealing and absence of edges in the filler, only for primer process.



Code	Description	Qty Box	Case
66166	Foam Primer	1	1

Foam Tape



The foam masking tape is applied on doors apertures. A simple way to mask the vehicle and protect the interior.

The difference by using paper masking products is the clean removal that reduces the levels of hard paint edges.



Code	Description	Qty Box	Case
66113	Foam Tape 13 mm	1	1


Abrasives

Double Sided Sanding Pad



The automotive pad new system is coated both sides. Ideal to use on wet or dry. Its innovative formula achieves a better performance and a perfect finishing.

Its mineral composition applied on the foam make the pad last longer because there is no clogging and the product finishing as the mineral dies.



Code	Description	Qty Box	Case
66100F	Doble Sided Pad Fine	10	9
66100MF	Doble Sided Pad MicroFine	10	9
66100SF	Doble Sided Pad SuperFine	10	9

Disc Foam Extra



The DISCO FOAM EXTRA gives a turn to the sanding process because of the "New System" formula that it's already being a success on the double side pads.

Besides the higher performance against the conventional Disco Foam, the increment on foam's thickness helps to absorb vibrations and achieves a better finishing.

The well known design from AG ABRASIVE & FOAM appying diferent colors per grit makes easier its use.




Code	Description	Qty Box	Case
6644F	Disc Foam Extra Fine	6	9
6644MF	Disc Foam Extra MicroFine	6	9
6644SF	Disc Foam Extra SuperFine	6	9

Disc Foam Blue



It's NEW SYSTEM mineral composition applied on the foam make the pad last longer and achieves a perfect finishing. To use on wet or dry.



Code	Description	Qty Box	Case
66333F	Foam Disc Blue Fine	15	9
66333MF	Foam Disc Blue MicroFine	15	9
66333SF	Foam Disc Blue SuperFine	15	9

Foam Disc Abrafinish



Foam polishing disc.



Code	Description	Qty Box	Case
669800	Foam Disc Abrafinish 800	10	9
6691000	Foam Disc Abrafinish 1000	10	9
6692000	Foam Disc Abrafinish 2000	10	9
6693000	Foam Disc Abrafinish 3000	10	9
6694000	Foam Disc Abrafinish 4000	10	9

Yellow Masking Tape



Kolor Xtreme High resistance automotive masking tape. Easy to remove without snapping or leaving adhesive residue. Resistant to temperatures of up to 176 degrees

Code	Description	Size	Qty
333-1 1/2	Yellow Masking Tape	1-1/2"	24
333-3/4	Yellow Masking Tape	3/4"	48
333-2	Yellow Masking Tape	2"	24

Doble Sided Tape



Kolor Xtreme Automotive Acrylic Plus Attachment Tape features two adhesives, one on each side of a strong, closed-cell acrylic foam core. Our liner-side adhesive is formulated for bonding to automotive paint systems, and the non-liner-side bonds to metals and plastics used in automotive components. Both adhesives deliver excellent initial tack and adhesive build



Code	Description	Size	Qty
16382	Doble Sided Tape 1/2	1/2	1
16383	Doble Sided Tape 7/8	7/8	1
16386	Doble Sided Tape 1/4	1/4	1

Green Masking Tape



High resistance automotive masking tape. Easy to remove without snapping or leaving adhesive residue. Resistant to temperatures of up to 176 degrees

Code	Description	Size	Qty
66436	Green Masking Tape	1-1/2"	24
66435	Green Masking Tape	3/4"	48

Fine line Tape



Conforms to curved and irregular surfaces. Maintains color even with heavy abrasion. Handles temperatures from 40°F to 170°F. Aggressive adhesive. Residue-free removal.

Code	Description	Size	Qty
704-0005	Fine line Tape Vinyl	1/8	1
704-0006	Fine line Tape Vinyl	1/4	1
709-0003	Fine line Tape Vinyl	1/8	1
709-0004	Fine line Tape Vinyl	1/4	1

Washi Masking Tape



Washi Masking Tape is a washi paper base material, acrylic produced by water-base adhesive. Great adhesion, strong adhesion, good solvent resistance, easy to tear not residual adhesive.

Code	Description	Size	Qty
66001	Orange Washi Masking Tape	3/4"	48
66002	Orange Washi Masking Tape	1-1/2"	24

Trim Masking Tape



Trim masking tape washi with protective paper and pre-cut for rubber around the Windows.

Code	Description	Size	Qty
66833	Trim Masking Tape	10M	1

 **PRODOTTO
BREVETTATO**



 **MIARCO®**



HOW TO FIT CHICANE MASKING TAPE

Green Masking Paper



Green Masking Paper for Automotive Paint, Machined Finished, Excellent Hold Out, Lint Free

Code	Description	Inch	Length
P1006	Green Masking Paper	6"	1000'
P1018	Green Masking Paper	18"	1000'
P1036	Green Masking Paper	36"	1000'
P506	Green Masking Paper	6"	500'
P512	Green Masking Paper	12"	500'
P518	Green Masking Paper	18"	500'
P536	Green Masking Paper	36"	500'

Plastic Sheeting



Economy masking films are high-density, tear-resistant, clear durable films that are treated for excellent paint overspray adhesion. The film is specially treated to ensure paint adhesion of both solvent and waterborne paints. It is easy to handle so one person can cover the vehicle quickly.

Code	Description	Size
KX16350	Plastic Sheeting	16' X 350'
KX12400	Plastic Sheeting	12' X 400'

White Masking Paper



Designed specifically for automotive aftermarket applications. Flexible and pliable to cover irregular surfaces for higher productivity, no lint or fibers, Specially treated to resist bleed-through of solvents, urethanes, base and clear coats

Code	Inch	Length	Description
P706W	6"	500'	White Masking Paper
P718W	18"	500'	White Masking Paper
P736W	36"	500'	White Masking Paper
P75006W	6"	750'	White Masking Paper
P75018W	18"	750'	White Masking Paper
P75036W	36"	750'	White Masking Paper

Pre-Taped Masking Film



Film roll with adhesive tape to cover surfaces. Static charge, corona treatment, lineal cut, 80° - 100° tape.

Code	Description	Size	Qty
66771	Pre-Taped Masking Film		1

Paint Booth Film Protector



Ideal for protecting the interior of the cabin. High quality product with corona treatment and static charge.

Code	Description	Size	Qty
66811	Paint Booth Film Protector	6'x120'	1

Single Car Plastic Sheeting (12' x 22')



Individual Paint masking film for 1 vehicle. High quality product with corona treatment and static charge.

Code	Description	Size	Qty
66822	Single Car Plastic Sheeting	12'x22'	1



Multifuntion Paint Stand



Folded size
810 x 810 x 1350mm

Code	Size	Description	Qty
C2502	810 x 810 x 1350mm	MULTIFUNCTION PAINT STAND	1

Self-Vaccum Air Orbit Sander



Air inlet NPTF: ¼
Diameter: 150mm – 6”
Orbit: 5mm – 3/16”
Speed: 10500 RPM
Weight: 0,98kg - 2,15lb

Code	Description	Qty
P2001	SELF-VACCUM AIR ORBIT SANDER	1

Spray Gun Cleaning Kit



Code	Description	Qty
G4525	SPRAY GUN CLEANING KIT	1

Eraser Tool



Max speed: 2600 RPM
Size: 200m
Air inlet
Air pressure: 90 psi
Weight: 0,98kg

Code	Description	Qty
P3001	FUSSION ERASER TOOL	1

FUSSION PLASTIC REPAIR



Welding machine for plastic
Fix and reforces body parts
It has 3 intensities and 3 repair angles

Staples includes
PS 16
PS 18
PS 26
PS 28
PS 38
PS 46
100 of each

Code	Description	Qty
H9000	FUSSION PLASTIC REPAIR	1

PLASTIC SPREADER SET



Material: PE
Includes
4” (80 x 111mm) 19gr
5” (100 x 111mm) 26gr
6” (120 x 111mm) 35gr

Code	Description	Qty
E3030	PLASTIC SPREADER SET	1

STAPLES



Code	Size	Description	Qty
RS16	0,6mm	Staples	100
RS18	0,8mm	Staples	100
RS26	0,6mm	Staples	100
RS28	0,8mm	Staples	100
RS38	0,8mm	Staples	100

STAINLESS STEEL SCRAPER SET



Includes
50mm x 111mm
80mm x 111mm
100mm x 111mm
120mm x 111mm

Code	Description	Qty
E2020	STAINLESS STEEL SCRAPER SET	4

**SAFETY DOESN'T HAPPEN
BY ACCIDENT**



SAS
SAFETY CORP.
www.sassafety.com




Electric Polisher With Led Digital Read



- *1200W
- * CONTROL DEL VELOCIDAD
- * 180MM DIAMETRO EXTERIOR DEL DISCO
- * 1200W
- * CONSTANT SPEED CONTROL
- * PAD SIZE 180MM

Code	Description	Qty
P1001	ELECTRIC POLISHER WITH LED DIGITAL READ	1

Plastic Paint Sticks



- *200MM
- *500u/box

Code	Size	Description	Qty
E3331		PLASTIC PAINT STIRRER	500

Single Magnetic Spray Gun Holder



Single magnetic Spray Gun Holder

Code	Description	Qty
G2525	SINGLE MAGNETIC SPRAY	1

Heat Light Bulb



This clear PLT 250R40/1 BR40 incandescent light bulb operates at 250 watts and 120 volts. It has a medium (E26) base and an average life of 5,000 hours. This BR40 accurately controls infrared heat using low amounts of energy and has the ability to quickly heat rooms, warm foods, or dry damp items.

Code	Description	Qty
PLT-250R401	Heat Lamp Lighth Bulb	12

1L Pump Solvent Bottle Spray



Code	Size	Description	Qty
E3511	1 Liter	1L PUMP SOLVENT BOTTLE SPRAY	1

Work Stand Extra Heavy Duty Portable



Heavy Duty work bench with capacity of 500lbs. Steel tubing construction with 1/2" foam padded top. Great for working on doors, fenders, hoods and bumpers. Adjustable height of 33" to 45" tall, Weight: 16 lbs.

Code	Size	Description	Qty
95022	500 Lb	Work Stand 500 Lb	1

Masking Film Cutting Blade



Code	Description	Qty
E4701	MASKING FILM CUTTING BLADE	Pcs

Adhesive Eraser Wheel



Removal of pinstripping, stickers, adhesive tapes and glue from metal, glass and wood without damaging the Surface.

DIAMETER 85MM
THICKNESS 15MM

Code	Description	Qty
E3421	ADHESIVE ERASER PAD	1
E3422	ADHESIVE ERASER PAD VENTILATE	1



Tools



Cup & Liner System



Cup & Liner is a complete painting system which produces cleaner jobs, saves on gun cleaning time and can improve operator efficiency. This System replaces traditional mixing cups and reduces the amount of solvent required for gun cleaning.

Code	Description	Size	Qty
66844	Cup & Liner System 50	700ml	50

CUP & COLLAR SET



Cup & Liners collar system 700ml kit

Code	Description	Size	Qty
66855	Cup & Collar Set	700ml	1

Adapters



Cup & Liners system spray gun adapters. Fits on major spray gun brands.

Knit White Rags



New White Bleached, Cotton T-shirt Material .Will not bleed when used with solvents or chemicals. Great for painting, polishing, and finishing applications. Medium Absorbency

Code	Description	Size	Qty
WT25	Knit White Rags	25lbs	1
WT10	Knit White Rags	10lbs	1

Champion Select Wipes



- Ideal for general purpose clean-up
- Wipes surfaces totally clean and dry
- Ultra absorbent for cleaning up liquid spills
- Soft hand feel for contact with hands and face
- Balances performance and economy
- DRC
- 9" x 12" Size
- 300 Wipes per tote

Code	Description	Size	Qty
86870	Champion Select Wipes	Box	4

Blue Select Wipes



Spunlace paper wipers are a durable, cloth like paper wiper. These wipers are strong when wet, absorbent & low linting. Bulk spunlace paper wipers can be used for glass cleaning, machine cleaning & tool cleaning as the spunlace reinforcement adds strength & durability to this nonwoven paper wiper.

Code	Description	Size	Qty
92131	Blue Select Wipes	Box	6

White Performance towels




Supreme Spunlace Performance towels are virtually lint-free, chemically pure, and contain no binders or contaminants.

Code	Description	Size	Qty
93118C	White Performance Wipes	Box	6

Strainers & Sticks




Code	Size	Description	Qty
Strainers	Box	Paint Strainers	1000
Sticks	Box	Paint Wooded Sticks	1000



INNOVATIVE
TOOLS & TECHNOLOGIES, INC.



Foam Sanding Blocks



Foam sanding block made of four types of material, making it very light and yet has a high internal rigidity and increased strength. Product has two working surfaces: White : hard, used for quick processing flat surfaces. Black : for contoured elements, arcs and hollows

Code	Size	Description	Qty
SB339	5" X 2.5" X 0.7"	Sanding Block Tri	1
SB336	9" X 2.5" X 0.7"	Sanding Block Tri	1
SB312	12" X 2.5" X 0.7"	Sanding Block Tri	1

Foam Sanding Blocks



Black for polishing very delicate arcs.

Code	Size	Description	Qty
SB995	5" X 2.5" X 0.7"	Sanding Block Black	1
SB999	9" X 2.5" X 0.7"	Sanding Block Black	1


Foam Sanding Blocks



Yellow used for polishing arcs, deepenings, profiles and bumpers.

Code	Size	Description	Qty
SB295	5" X 2.5" X 0.7"	Sanding Block Yellow	1
SB299	9" X 2.5" X 0.7"	Sanding Block Yellow	1

Foam Sanding Blocks



Blue for polishing delicate arcs.

Code	Size	Description	Qty
SB195	5" X 2.5" X 0.7"	Sanding Block Blue	1
SB199	9" X 2.5" X 0.7"	Sanding Block Blue	1

Tear-away Mixing Board



The Easy and Convenient Way to mix epoxies, body filler, fiberglass, plastics, gel, putty, and touch-up paint

Code	Size	Description	Qty
AES-MB-100	(11 X 17 Mixing Surface)	Tear-Away Mixing Board (100 layers)	1

Empty Can



Gallon



Half Gallon



Quart




Pint



Half Pint

Code	Size	Description	Qty
GALLON	Gallon	Empty Can	32
HALFGALLON	Media Gallon	Empty Can	114 (Sold by Units)
QUART	Quart	Empty Can	56
PINT	Pint	Empty Can	50
HALFPINT	Media Pint	Empty Can	340 (Sold by Units)



A3 INDUSTRIES

FOR ALL YOUR REFINISHING NEEDS






FAST AND EASY



<https://www.koverbond.com/usa/>



PLASTIX

Quick Plastic Repair Kit






E-Z MIX[®]

We Always Measure Up!



MILTON®




INFRA TECH COMFORT

Disco

Automotive Hardware

Distributor Supply Company





HOUSE OF KOLOR®





APP Corp.
1293 North Post Oak / Suite 190
Houston, Texas 77055
Ph: 713 995 7778 Fax: 713 995 7779
E-mail: sales@allpaintcorporation.com
www.allpaintscorporation.com

All Paints & Parts Corporation is not responsible for printing or typing errors